

Worksoft Infrastructure Services Installation Guide

Worksoft Infrastructure Services Installation Guide

Version 12

© Copyright 2023 by Worksoft, Inc. All rights reserved.

Worksoft is a business name of Worksoft, Inc. Information in this document is subject to change and revision without notice. The software described herein may only be used and copied as outlined in the Software License Agreement. No part of this manual may be reproduced by any means, electronic or mechanical, for any purpose other than the purchaser's personal use, without prior written permission from Worksoft.

Worksoft provides this documentation "as is" without warranty of any kind, either express or implied. Worksoft may revise information in this document without notice and does not represent a commitment on the part of Worksoft, Inc.

Worksoft, Inc. may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents except as expressly provided in any written license agreement from Worksoft, Inc.

Trademarks

Worksoft Certify® is a registered trademark of Worksoft, Inc.

All other trademarks and trade names mentioned in this guide are the property of their respective owners.



Table of Contents

Chapter 1 Preparing Your System for Worksoft Infrastructure Services	4
Overview	5
Worksoft Infrastructure Services Package	5
System Requirements	6
Configuring Your Application Server	6
Adding Roles and Features	6
Configuring the Web Server Role (IIS)	12
Configuring Application/Json MIME Type Compression	14
Enabling IIS Services	16
Configuring HTTPS on Your Application Server	17
Chapter 2 Installing Worksoft Infrastructure Services	18
Verifying System Requirements	19
Installing Worksoft Infrastructure Services	19
Using Windows Authorization	23
Appendix A Worksoft Infrastructure Services Silent Installation	26
Silent Install	26
Installation Log File	27
Silent Uninstall	27
Non-default Website	27



Chapter 1 Preparing Your System for Worksoft Infrastructure Services

In This Chapter

- Overview 5
- Worksoft Infrastructure Services Package..... 5
- System Requirements 6
- Configuring Your Application Server 6
- Enabling IIS Services 16
- Configuring HTTPS on Your Application Server..... 17

Overview

The Worksoft Infrastructure Services installs the following products and services:

Product or Service	Description
Authentication service	This service is an identity provider for Worksoft products.
Worksoft Portal	An administration tool that registers the following for Worksoft products: <ul style="list-style-type: none"> • Database settings • Licenses • Users • Email SMTP settings • Tenants • Integrations
Cryptography service	Cryptography service for all Worksoft products.
Certify Results Viewer	Worksoft Results UI allows you to view the details of the execution step results.
Bookmark service	Create bookmarks to save favorite Certify folders and processes for execution.
Scheduler service	Schedule tasks and jobs.
Capture Documentation service	Produce Microsoft Word or PDF documentation from Worksoft Capture files.

You are able to pick and choose which products and services to install.

Worksoft Infrastructure Services Package

The Worksoft Infrastructure Services package consists of the following components:

Component	Description
Worksoft Infrastructure Services (version).exe	Executable that installs Worksoft Infrastructure Services. Unified installer that will provide user ability to pick and choose which of the products and services are available for installation.
AuthenticationDatabaseScripts.zip	Zip file contains database scripts that create and upgrade Authentication databases.
PortalDatabaseScripts.zip	Zip file contains database scripts that create and upgrade Worksoft Portal databases.

System Requirements

Before you begin to install Worksoft Infrastructure Services, verify that your environment has the needed system requirements installed for Worksoft Portal. For information about system requirements, see the [Worksoft Help Portal](#).

Configuring Your Application Server

In order to transform your application server into a web server to host Worksoft Portal, Microsoft® Internet Information Services (IIS) must be installed and the Server Manager must be configured.

These procedures assume that you have not already configured your IIS. If you have already set up the Roles and Features, verify that the following Role Services on [page 13](#) have been selected.


Adding Roles and Features

The Server Manager allows you to add specific roles and features to your web server that are required for Worksoft products.

► **To add roles and features to your web server:**


- 1 From the Start menu, select **Server Manager**.

The Server Manager opens.




- 2 In the Navigation pane, select **Dashboard**.
- 3 In the Summary Tasks pane, select **Add Roles and Features**.

The Add Roles and Features Wizard opens.



4 Click **Next**.


The Select Installation Type page opens.



5 Select the **Role-based or feature-based Installation** option.

6 Click **Next**.


The Select Destination Server page opens.



7 Select a server.

8 Click **Next**.

The Select Server Roles page opens.




9 From the Server Roles list, select the following roles:

- **File Services**
- **Web Server (IIS)**

10 Click **Next**.


The Select Features page opens.



11 Select the following features:

- **.NET Framework 4.8 Features** and all of its child nodes
- **WCF Services** and all of its child nodes
- **IIS Hostable Web Core** and **Media Foundation**

- 12** Verify that **Message Queuing Services** and **Message Queuing Server** are enabled.



- 13** Use the scroll bar to verify the **Windows Process Activation Service** is enabled with the following child nodes:


- **Process Model**
- **Configuration APIs**

- 14** Click **Next**.

Configuring the Web Server Role (IIS)

The Web Server Role (IIS) page opens if you have not already installed the web server.

- 1 In the Navigation pane, click **Role Services** under Web Server Role (IIS).



The Select Role Services page opens.

- 2 In the Role Services list, use the scroll bar to select the following services.

If you have already set up the Roles and Features, verify that the following services have been selected.

Node	Child Nodes
Common HTTP Features	Default Document Directory Browsing HTTP Errors Static Content WebDAV - Verify that this option is disabled. Worksoft's RESTful Services will not work correctly if enabled.
Health and Diagnostics	HTTP Logging Request Monitor
Performance	Static Content Compression Dynamic Content Compression
Security	Request Filtering Basic Authentication
Application Development	.NET Extensibility 4.8 Application Initialization ASP ASP.NET 4.8 CGI ISAPI Extensions ISAPI Filters WebSocket Protocol
Management Tools	IIS Management Console IIS Management Scripts and Tools Management Service

- 3 Click **Next**.
The Confirm Installation Selections page appears.
- 4 Click **Install** to install the role services.


Configuring Application/Json MIME Type Compression

After you have enabled Dynamic Content Compression within IIS, you need to verify HTTP Compression for the application/json MIME type. Certify Automator's mode uses Dynamic Content Compression to improve performance, and HTTP compression must be enabled for the application/json MIME type.

When the Dynamic Content Compression feature is enabled, it will overwrite any previous HTTP compression settings.


► To verify application/json MIME type compression:

- 1 Open **IIS Manager**.
- 2 In the left Navigation pane, click on your server.
- 3 In the Management section, double-click the **Configuration Editor**.




The Configuration Editor opens.


- 4 From the Section drop-down list, select **system.webServer > httpCompression**.




- 5 In the httpCompression section, click **dynamicTypes**.



- 6 Verify that **application/json** is listed in the dynamic compression mime types. If it is not listed, click the **Add** button in the Collection section to add it.



- 7 After you completed your verification or addition, click the **Close** button
The Configuration Editor opens.



- 8 Click **Apply** to apply your changes.
- 9 Verify that dynamicTypes lists a count of six.
- 10 Close the editor.

Enabling IIS Services

You will now need to verify that several IIS services are enabled.

► **To verify IIS services are enabled:**

- 1 If the Server Manager is not open, select **Administrative Tools > Server Manager** from the Start menu.
The Server Manager opens.
- 2 In the Navigation pane, select **IIS**.
- 3 Scroll down to the Services section.
- 4 In the Services pane, verify that the following services are enabled and running:
 - **World Wide Web Publishing Service**
 - **Web Management Service**
 - **Application Host Helper Service**
 - **Windows Process Activation Service**
- 5 If any of these window services are not running, start the services.
To start a service, select the service from the list and click **Start** in the right menu. You can also start services by going to **Administrative Tools > Services** on your machine.

Configuring HTTPS on Your Application Server

Complete the following tasks to configure HTTPS on your application server:

- ◆ Request an SSL Certificate from your IT department.
- ◆ Add the certificate to IIS.
- ◆ Add new binding to port 443.
- ◆ Verify your SSL Settings on your application server.



Chapter 2 Installing Worksoft Infrastructure Services

In This Chapter

Verifying System Requirements	19
Installing Worksoft Infrastructure Services	19
Using Windows Authorization	23

Verifying System Requirements

Before you begin to install Worksoft Infrastructure Services, verify that your environment has the needed system requirements installed for Worksoft Portal and Authorization service. For information about system requirements, see the [Worksoft Help Portal](#).

Installing Worksoft Infrastructure Services

After you have configured your application server, you are now ready to install Worksoft Infrastructure Services on your server.

► **To install Worksoft Infrastructure Services:**


- 1 In the software distribution folder, right-click the **Worksoft Infrastructure Services (version).exe** file and select **Run as administrator**.

The Worksoft Infrastructure Services Install Wizard opens.




- 2 Click **Next** to begin the installation process.

The Portal and Services Versions Install page appears.



This screen lists the products and services included in the installer.

3 Click **Next**.



4 Select the features and services that you want to install.


By default, all features and services will be installed.

If you do not want one of the services installed, click the drop-down arrow next to that feature and select **Entire feature will be unavailable**.

When you select a product or service, a description appears under the list.

5 After you have made your selection, click **Next**.


The Destination Folder page appears.



- 6 If you want to accept the default directory for your installation files, click **Next**.


If you do not want to accept the default directory for the installation files, select a different installation directory and click **Next**.

The Worksoft Services Web Site page appears.



- 7 If you want to accept Default Web Site as your website, click **Next**.
- 8 If you have other websites configured in the IIS, select the server from the drop-down list and click **Next**.


The Base URL page appears.



The Worksoft Services Base URL value in this field will be used to construct URLs for all the products that you selected to install.


- 9 Enter the Base URL where you want to install Worksoft Services. The Base URL can not be a localhost. By default, the URL address is populated as `http://<servername>`. You will need to change it to `https` for secure authentication.
- 10 Click **Next**.

The Ready to Install page appears.



- 11** Click **Install** to begin the installation.

After the installation completes, the Installation Result page appears.



- 12** Click **Finish**.

Using Windows Authorization

If you want to use Windows authorization for Worksoft Infrastructure Services, you will need to do some additional configuration.


To configure Windows authorization, complete the following:

- ◆ Enable Windows Authentication in IIS
- ◆ Configure application pool setting
- ◆ Configure SQL Server access

▶ **To enable Windows Authentication in IIS**

- 1** From the Start menu, select **Control Panel > Programs and Features**.
The Programs and Features window opens.
- 2** Click **Turn Windows features on or off**.
The Windows Features dialog box opens.
- 3** In the Features list, expand **Internet Information Services > World Wide Web Services**.
- 4** Select **Add Roles and Features**.
The Add Roles and Features Wizard opens.

5 Click **Next** until come to the **Server Roles** page.



6 Expand the **Web Server IIS** role.


7 Under Security, select the **Windows Authentication** option.

8 Click **Next** until the Install option is enabled.


9 Click **Install** to complete the configuration.

10 Open the **IIS Manager**.

11 Click **Authentication**.




12 Enable **Windows Authentication** and disable all other Authentications.



► **To create a custom account application pool setting:**

- 1 Select **Application Pools > Portal**.
- 2 In the Edit Application Pool section, select **Advanced Settings**.
- 3 Select **Identity** from the list.

The Application Pool Identity dialog box opens.



- 4 Select **Custom account**.
- 5 Click **Set**.
The Set Credentials dialog box opens.
- 6 Enter the Service account user name and password.
The user needs to have database credentials.
- 7 Click **OK**.
- 8 In the Set Credentials dialog box, click **OK**.
- 9 In the Advanced Settings dialog box, click **OK**.

► **To configure SQL Server access:**

Your database administrator will need to add the Service account to Logins under Security in order to provide access to the databases.



Appendix A Worksoft Infrastructure Services Silent Installation

Silent Install

Install all products and services on default path C:\Program Files (x86)\Worksoft:

```
<installerPath>\Worksoft Infrastructure Services.exe /s
```

Install in non-default path:

```
<installerPath>\Worksoft Infrastructure Services.exe /s targetdir="C:\temp\Worksoft"
```

All products and services install in their individual folders in the C:\temp\worksoft folder.

Parameters for Products and Services

As when you are installing Worksoft Infrastructure Services with the install wizard, all components are selected for installation unless the parameter value is set to **false**.

Example:

```
<installerPath>\Worksoft Infrastructure Services.exe /s CDS=false Cryptography=false  
ResultsViewer=false
```

Product or Service	Parameter
Authentication service	Auth
Worksoft Portal	Portal
Cryptography service	Cryptography
Certify Results Viewer	ResultsViewer
Bookmark service	Bookmark
Scheduler service	Scheduler
Capture Documentation service	CDS

Examples

To install only the Worksoft Authorization service and Worksoft Portal on the D drive under Worksoft folder:

```
<installerPath>\Worksoft Infrastructure Services.exe /s targetdir="D:\Worksoft"  
CDS=false Cryptography=false ResultsViewer=false
```

To install all products and services under a non-default website on the D drive:

```
<installerPath>\Worksoft Infrastructure Services.exe /s PortalSuiteWebsite=test  
targetdir="D:\Worksoft"
```

Installation Log File

The default installation log is located at **%userprofile%** of the user who installed Worksoft Infrastructure Services.

```
<installerPath>\Worksoft Infrastructure Services.exe /s /l=C:\temp\myInstalllog.txt
```

Silent Uninstall

To uninstall Worksoft Infrastructure Services silently, run the installer from the command line and enter the following string:

```
Worksoft Infrastructure Services.exe/s MODIFY=FALSE REMOVE=TRUE UNINSTALL=YES
```

Non-default Website

A non-default web site where they plan to install Worksoft products needs to exist prior to installation. Installer does not create the website.

```
<installerPath>\Worksoft Infrastructure Services.exe /s PortalSuiteWebsite=test
```