

# **Worksoft Process Intelligence Installation Guide**

# Worksoft Process Intelligence Installation Guide

## Version 12

© Copyright 2023 by Worksoft, Inc. All rights reserved.

Worksoft is a business name of Worksoft, Inc. Information in this document is subject to change and revision without notice. The software described herein may only be used and copied as outlined in the Software License Agreement. No part of this manual may be reproduced by any means, electronic or mechanical, for any purpose other than the purchaser's personal use, without prior written permission from Worksoft.

Worksoft provides this documentation "as is" without warranty of any kind, either express or implied. Worksoft may revise information in this document without notice and does not represent a commitment on the part of Worksoft, Inc.

Worksoft, Inc. may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents except as expressly provided in any written license agreement from Worksoft, Inc.

## Trademarks

Worksoft Certify® is a registered trademark of Worksoft, Inc.

All other trademarks and trade names mentioned in this guide are the property of their respective owners.



# Table of Contents

<b>Chapter 1 Before You Install Process Intelligence</b> .....	<b>5</b>
Overview .....	6
Installing Worksoft Portal and Infrastructure Services .....	6
Verifying Process Intelligence System Requirements .....	6
Configuring the Process Intelligence Application Server .....	7
Adding Roles and Features .....	7
Configuring the Web Server Role (IIS) .....	13
Configuring Application/Json MIME Type Compression .....	15
Enabling IIS Services .....	17
<b>Chapter 2 Installing Worksoft Process Intelligence</b> .....	<b>18</b>
Process Intelligence Package .....	19
Installing Process Intelligence .....	19
<b>Chapter 3 Creating and Configuring a Process Intelligence Database</b> .....	<b>23</b>
Creating a Process Intelligence Database .....	24
Upgrading Your Database .....	24
Registering Process Intelligence .....	25
Configuring the Process Intelligence Database in Worksoft Portal .....	25
<b>Chapter 4 Configuring Process Intelligence</b> .....	<b>27</b>
Overview .....	28
Extracting Public and Private Keys .....	28
OpenSSL Tool .....	28
Configuring Public and Private Keys in Process Intelligence .....	29
Configuring the appsettings.json File .....	29
Verifying the Process Intelligence Task Is Running .....	30

<b>Chapter 5 Installing and Configuring Certify Results Exporter</b> .....	<b>31</b>
Installing Certify Results Exporter .....	32
Verifying Configuration .....	35
Creating a Worksoft Certify Results Exporter Database .....	36
Upgrading Your Database .....	37
Registering Certify Results Exporter .....	37
Configuring the Certify Results Exporter Database in Worksoft Portal .....	37



# Chapter 1      Before You Install Process Intelligence

---

## In This Chapter

- Overview ..... 6
- Installing Worksoft Portal and Infrastructure Services..... 6
- Verifying Process Intelligence System Requirements ..... 6
- Configuring the Process Intelligence Application Server ..... 7
- Enabling IIS Services ..... 17

## Overview

---

Before installing and configuring Worksoft Process Intelligence, complete the following tasks:

- ◆ Install and configure Worksoft Portal and all infrastructure services.
- ◆ Verify that your Process Intelligence server has the needed system requirements installed.  
Process Intelligence can not be installed on the same server as Worksoft Portal.
- ◆ Configure Microsoft® Internet Information Services (IIS) on your Process Intelligence Server.
- ◆ Enable IIS Services.

---

## Installing Worksoft Portal and Infrastructure Services

---

Process Intelligence leverages information from the administration tool Worksoft Portal and its infrastructure services. The Worksoft Portal registers database settings, licenses, users, and integrations for Worksoft products.

When installing Worksoft Portal, use the external URL for the Authentication service, and do not use a localhost. If you use a localhost, it will cause the applications to break.

You must use a fully qualified domain name or a Domain Name System (DNS) alias.

Go to the [Worksoft Customer Portal](#) to download Worksoft Infrastructure Services.

To view the Worksoft Infrastructure Services system requirements and installation guide, see the [Worksoft Help Portal](#).

---

## Verifying Process Intelligence System Requirements

---

Verify that your environment has the needed system requirements installed. For information about system requirements and port requirements, see the [Worksoft Help Portal](#).

Process Intelligence can not be installed on the same server as Worksoft Portal. The Process Intelligence server must have public Internet access.

You must use a fully qualified domain name or a Domain Name System (DNS) alias.

## Configuring the Process Intelligence Application Server

In order to transform your application server into a web server to host Process Intelligence, Microsoft® Internet Information Services (IIS) must be installed and the Server Manager must be configured.

These procedures assume that you have not already configured your IIS. If you have already set up the Roles and Features, verify that the following Role Services on [page 14](#) have been selected.


### Adding Roles and Features

The Server Manager allows you to add specific roles and features to your web server that are required for Worksoft products.

#### ► To add roles and features to your web server:

- 1 From the Start menu, select **Server Manager**.


The Server Manager opens.



- 2 In the Navigation pane, select **Dashboard**.
- 3 In the Summary Tasks pane, select **Add Roles and Features**.




The Add Roles and Features Wizard opens.



4 Click **Next**.

The Select Installation Type page opens.




5 Select the **Role-based or feature-based Installation** option.



6 Click **Next**.


The Select Destination Server page opens.



7 Select a server.

8 Click **Next**.

The Select Server Roles page opens.




9 From the Server Roles list, select the following roles:

- **File Services**
- **Web Server (IIS)**

10 Click **Next**.


The Select Features page opens.



**11** Select the following features:

- **.NET Framework 4.8 Features** and all of its child nodes
- **WCF Services** and all of its child nodes
- **IIS Hostable Web Core** and **Media Foundation**

**12** Verify that **Message Queuing Services** and **Message Queuing Server** are enabled.



**13** Use the scroll bar to verify the **Windows Process Activation Service** is enabled with the following child nodes:


- **Process Model**
- **Configuration APIs**

**14** Click **Next**.

## Configuring the Web Server Role (IIS)

The Web Server Role (IIS) page opens if you have not already installed the web server.

- 1 In the Navigation pane, click **Role Services** under Web Server Role (IIS).



The Select Role Services page opens.

- 2 In the Role Services list, use the scroll bar to select the following services.

If you have already set up the Roles and Features, verify that the following services have been selected.

Node	Child Nodes
Common HTTP Features	Default Document Directory Browsing HTTP Errors Static Content WebDAV - Verify that this option is disabled. Worksoft's RESTful Services will not work correctly if enabled.
Health and Diagnostics	HTTP Logging Request Monitor
Performance	Static Content Compression Dynamic Content Compression
Security	Request Filtering Basic Authentication
Application Development	.NET Extensibility 4.8 Application Initialization ASP ASP.NET 4.8 CGI ISAPI Extensions ISAPI Filters WebSocket Protocol
Management Tools	IIS Management Console IIS Management Scripts and Tools Management Service

- 3 Click **Next**.  
 The Confirm Installation Selections page appears.
- 4 Click **Install** to install the role services.


## Configuring Application/Json MIME Type Compression

After you have enabled Dynamic Content Compression within IIS, you need to verify HTTP Compression for the application/json MIME type. Worksoft uses Dynamic Content Compression to improve performance, and HTTP compression must be enabled for the application/json MIME type.

When the Dynamic Content Compression feature is enabled, it will overwrite any previous HTTP compression settings.

### ► To verify application/json MIME type compression:


- 1 Open **IIS Manager**.
- 2 In the left Navigation pane, click on your server.
- 3 In the Management section, double-click the **Configuration Editor**.




The Configuration Editor opens.




- From the Section drop-down list, select **system.webServer > httpCompression**.




- In the httpCompression section, click **dynamicTypes**.



- Verify that **application/json** is listed in the dynamic compression mime types. If it is not listed, click the **Add** button in the Collection section to add it.



- 7 After you completed your verification or addition, click the **Close** button  
The Configuration Editor opens.



- 8 Click **Apply** to apply your changes.  
9 Verify that dynamicTypes lists a count of six.  
10 Close the editor.

## Enabling IIS Services

You will now need to verify that several IIS services are enabled.

### ► To verify IIS services are enabled:

- 1 If the Server Manager is not open, select **Administrative Tools > Server Manager** from the Start menu.  
The Server Manager opens.
- 2 In the Navigation pane, select **IIS**.
- 3 Scroll down to the Services section.
- 4 In the Services pane, verify that the following services are enabled and running:
  - **World Wide Web Publishing Service**
  - **Web Management Service**
  - **Application Host Helper Service**
  - **Windows Process Activation Service**
- 5 If any of these window services are not running, start the services.  
To start a service, select the service from the list and click **Start** in the right menu. You can also start services by going to **Administrative Tools > Services** on your machine.



## Chapter 2      Installing Worksoft Process Intelligence

---

### In This Chapter

Process Intelligence Package .....	19
Installing Process Intelligence.....	19

---

## Process Intelligence Package

The Process Intelligence package consists of the following components:

Component	Description
Worksoft Process Intelligence (version).exe	Executable that installs Process Intelligence.
WorksoftCertifyResultsExporter (version).exe	Executable that installs Worksoft Certify Results Exporter. The Certify Results Exporter is used to export results from Worksoft Certify to Process Intelligence.
PIDatabaseScripts. (version).zip	Zip file contains the utility and database scripts that create and upgrade your Process Intelligence database.
CREDatabaseScripts. (version).sql	Zip file contains the utility and database scripts that create and upgrade your Certify Results Exporter database.


## Installing Process Intelligence

Verify that your environment has the needed system requirements installed before you begin to install Process Intelligence. For information about system requirements and port requirements, see the [Worksoft Help Portal](#).

### ► To install Process Installation:


- 1 In your software distribution folder, double-click the **Worksoft Process Intelligence (version).exe** file.

The Worksoft Process Intelligence Install Wizard opens.



2 Click **Next**.


When the system analysis has completed, the Destination Folder page appears.



3 If you want to accept the default directory for your installation files, click **Next**.

If you do not want to accept the default directory for the installation files, click the **Change** button to select a different installation directory, and then click **Next**.

The Process Intelligence URL page appears.




- 4 Enter the external URL address for Process Intelligence.  
You must use a fully qualified domain name or a Domain Name System (DNS) alias.

Example: `https://servername.worksoft.com`

- 5 Click **Next**.

The Worksoft Portal URL page appears.




- 6 Enter the external URL address for Worksoft Portal.  
You must use a fully qualified domain name or a Domain Name System (DNS) alias.

Example: `https://servername.worksoft.com/portal`




The Ready to Install page appears.



7 Click **Next**.

The Worksoft Process Intelligence Installation Completed page appears.



8 Click **Finish** to complete the installation.





## **Chapter 3      Creating and Configuring a Process Intelligence Database**

---

### **In This Chapter**

Creating a Process Intelligence Database .....	24
Registering Process Intelligence.....	25
Configuring the Process Intelligence Database in Worksoft Portal.....	25

---

---

## Creating a Process Intelligence Database

---

To use Process Intelligence, you need to create a database on your Microsoft® SQL Server. Use the Apply utility tool that is provided in your Worksoft Process Intelligence distribution package.

If you are creating a database on a remote server, the SQL Server must be installed on that server.


► **To populate the Process Intelligence database:**

- 1 From your Process Intelligence distribution package, unzip the **PIDatabaseScripts (version).zip** file.
- 2 In the PIDatabaseScripts (version) folder, navigate to the following directory:

```
PIDatabaseScripts > PIDatabase
```

- 3 Double-click **Apply.exe**.

The Create Worksoft Process Intelligence Database tool opens.



- 4 In the Database Server field, enter the server name.
- 5 In the Database Name field, enter the database name.
- 6 If you want to use Windows authentication, select the **Windows Authentication** option.
- 7 If you want to use SQL Server authentication, enter the SQL Server user name and password in the respective fields.
- 8 Click the **Start** button.

The Apply utility begins to create a new database. After the database creation process is completed, a message appears. You are now ready to configure your Process Intelligence database in Worksoft Portal.

## Upgrading Your Database

When you upgrade the Process Intelligence database, you will need to run the Apply tool in the PIUpdateDatabase folder. If there are patches to be applied, refer to the Readme file for information on how to upgrade your database.

## Registering Process Intelligence

You will notice that this product appears as registered when you sign into Worksoft Portal in the browser.

Example: `https://servername.worksoft.com/portal`

Product and services automatically register themselves in the Worksoft Portal when they are installed.

If for some reason Process Intelligence does not automatically register, you can trigger the registration by manually loading Process Intelligence from the Process Intelligence API Swagger page:

`https://<servername>/processintelligence/swagger`.

Opening the Swagger page automatically registers Process Intelligence.

## Configuring the Process Intelligence Database in Worksoft Portal

After preparing your database, next you need to configure your Process Intelligence database in Worksoft Portal.

You must be a super user to add a database to the Portal.

### ► To configure Process Intelligence database:

- 1 From your browser, open and sign into Worksoft Portal.

Example: `https://servername.worksoft.com/portal`

- 2 From the Worksoft Portal menu, select **Product Configuration > Process Intelligence**.

The Process Intelligence Configuration page opens.

The screenshot displays the 'Process Intelligence' configuration interface. At the top, it shows the product is registered with a green checkmark and a 'Deregister' button. Below this is the 'Database Configuration' section, which is also connected (1.0.0). It contains fields for 'SQL Server', 'Database Name', 'SQL Username', and 'SQL Password'. There is a 'Test' button and 'Save' and 'Cancel' buttons. The 'Process Intelligence configurations' section at the bottom has a checkbox for 'Is On-premise Installation?' and a 'Files Storage Path' field with the value 'C:\Worksoft\ProcessIntelligence\PIFiles' and a green checkmark.

- 3** In the Database Configuration section, enter the following information for your Process Intelligence database in the respective fields:
  - SQL server
  - Database name
  - SQL user name
  - SQL password
- 4** If you want to use Windows Authentication instead of SQL Server Authentication, select **Use Trusted Connection (Windows)**.
- 5** Click **Test** to test the connection.
- 6** Click **Save**.
- 7** If you have an on-premise installation, select the **Is On-premise Installation?** option in the Process Intelligence Configurations section.
- 8** In the File Storage Path field, enter the file path where you intend to store your files if you are not using the cloud for storage.

The Process Intelligence database configuration is complete.



## Chapter 4      **Configuring Process Intelligence**

---

### **In This Chapter**

Overview .....	28
Extracting Public and Private Keys .....	28
Configuring Public and Private Keys in Process Intelligence.....	29
Verifying the Process Intelligence Task Is Running .....	30

## Overview

---

Before you can use Worksoft Process Intelligence, you need to complete the following tasks:

- ◆ Extract public and private keys from a Windows certificate
- ◆ Configure public and private keys in Process Intelligence
- ◆ Verify that the Process Intelligence task is running

---

## Extracting Public and Private Keys

---

After installing Process Intelligence, you need to configure a Windows certificate to use with Process Intelligence. Process Intelligence API requires public and private keys for authentication.

These public and private keys need to be extracted from the same certificate that is being used by Process Intelligence.

Public and private keys can have any of following extensions:

- ◆ CER
- ◆ CRT
- ◆ PEM

Process Intelligence default extension is **PEM**. If you use the CER and CRT extension, then you will need to do additional configuration in Process Intelligence.

Public and private keys do not need to have same extension in Process Intelligence.

## OpenSSL Tool

Use the OpenSSL tool to extract the public and private keys from the certificate. The OpenSSL tool is an open-source command line tool that is commonly used to extract public and private keys. To download the tool, go to <https://www.openssl.org/source/>.

OpenSSL for Windows has dependency on Microsoft® Visual C++ 2008 Redistributable Runtime. If it is not installed on the client machine, then it can be downloaded [here](#).

Certificates are password protected. Clients must provide a password along with their certificate to extract public and private keys.

### ► **To extract a public key with the OpenSSL tool:**

Open the OpenSSL command tool to extract the public key. A public key can be extracted from certificate.pfx or certificate.p12 with any of the following commands:

- ◆ `openssl pkcs12 -in certificate.pfx -out certificate.crt -nokeys`
- ◆ `openssl pkcs12 -in certificate.pfx -out certificate.cer -nokeys`
- ◆ `openssl pkcs12 -in certificate.pfx -out certificate.pem -nokeys`

You will be prompted for the password that was used when creating the certificate.

Process Intelligence uses **certificate.pem** as its default public key.

### ► **To extract a private key with the OpenSSL tool:**

Open the OpenSSL command tool to extract the private key. A private key can be extracted from `certificate.pfx` or `certificate.p12` with any of the following commands:

- ◆ `openssl pkcs12 -in certificate.pfx -nocerts -out privatekey.crt -nodes`
- ◆ `openssl pkcs12 -in certificate.pfx -nocerts -out privatekey.cer -nodes`
- ◆ `openssl pkcs12 -in certificate.pfx -nocerts -out privatekey.pem -nodes`

You will be prompted for the password that was used when creating the certificate.

Process Intelligence uses **privatekey.pem** as its default public key.

## Configuring Public and Private Keys in Process Intelligence

After you have extracted the public and private keys, you will now add them to Process Intelligence.

### ► **To add public and private keys to Process Intelligence:**

- 1 Go to the following folder on the machine where Process Intelligence is installed:  
`C:\Program Files (x86)\Worksoft\ProcessIntelligence\ETLServices`
- 2 Copy and paste public and private keys to the `ETLServices` folder.

### Configuring the `appsettings.json` File

The public and private keys are stored in the **appsettings.json** configuration file that is distributed with Process Intelligence.

If the name of your certificates are different from the default names, **certificate.pem** and **privatekey.pem**, then you need to modify the configuration file by adding the new file names.

### ► **To edit the `appsettings.json` file:**

- 1 Go to the following folder on the machine where Process Intelligence is installed:  
`C:\Program Files (x86)\Worksoft\ProcessIntelligence`
- 2 Open the **appsettings.json** file in a text editor.
- 3 Modify the last two lines in this section with the name of your key files:

```
"OnPremiseSettings": {
  "IsOnPremise": true,
  "BaseFolderPath": "C:\\Worksoft\\ProcessIntelligence\\PIFiles",
  "NetworkShareDomain": "",
  "NetworkShareComputerName": "",
  "NetworkShareUserName": "",
  "NetworkSharePassword": "",
  "CertificateFolderPath": "./",
  "KeyFile": "privatekey.pem",
  "CertificateFile": "certificate.pem"
},
```

- 4 Save the updated file.



---

## Verifying the Process Intelligence Task Is Running

---

Next, you need to open the Windows Task Scheduler to verify that the created Process Intelligence API (PIAPI) task is running or finished running successfully.


► **To verify the PIAPI task is running:**

- 1 From the Windows Start menu, enter **task scheduler** in the Search window.
- 2 Select Task Scheduler from the search results.  
The Task Scheduler opens.

- 3 In the Navigation pane, select **Task Scheduler Library**.



- 4 Right-click the **PIAPI** task and select **Run**.
- 5 Test the API status on a browser by going to **https://<hostname>:5000/status**.  
Do not use Windows Internet Explorer to test the status.



You have completed your Process Intelligence configuration. Now you will install and configure Certify Results Exporter.



## **Chapter 5**      **Installing and Configuring Certify Results Exporter**

---

### **In This Chapter**

Installing Certify Results Exporter .....	32
Verifying Configuration.....	35
Creating a Worksoft Certify Results Exporter Database.....	36
Registering Certify Results Exporter .....	37
Configuring the Certify Results Exporter Database in Worksoft Portal .....	37

---

---

## Installing Certify Results Exporter

---

The Certify Results Exporter is used to export results from Worksoft Certify to Process Intelligence. The Exporter can be installed on the same server as Worksoft Portal or Process Intelligence as long as the product's system requirements are met.

► **To install Certify Results Exporter:**


- 1 In your software distribution folder, double-click the **WorksoftCertifyResultsExporter (version).exe** file.

The Worksoft Certify Results Exporter Install Wizard opens.



- 2 Click **Next**.


When the system analysis has completed, the Destination Folder page appears.



- 3 If you want to accept the default directory for your installation files, click **Next**.

If you do not want to accept the default directory for the installation files, click the **Change** button to select a different installation directory, and then click **Next**.

The Worksoft Certify Results Exporter URL page appears.




- 4 Enter the external URL address for Worksoft Certify Results Exporter.

You must use a fully qualified domain name or a Domain Name System (DNS) alias.

Example: `https://servername.worksoft.com`


5 Click **Next**.

The Worksoft Portal URL page appears.




6 Enter the external URL address for Worksoft Portal.

The Ready to Install page appears.



7 Click **Next**.

The Worksoft Certify Results Exporter Installation Completed page appears.



- 8 Click **Finish** to complete the installation.

---

## Verifying Configuration

---

After you install the Worksoft Certify Results Exporter, you need to verify the URL addresses in the **appsettings.json** file.

In the `C:\Program Files (x86)\Worksoft\Certify Results Exporter` folder, verify the following values:

- ◆ Base URL – Default value is `https://<servername>/CertifyResultsExporter`.
- ◆ ServerSettings:CertifyPortalUrl – This value should be populated with the Worksoft Portal URL entered during installation.

---

## Creating a Worksoft Certify Results Exporter Database

---

Next, you will create an empty SQL Server database for the Certify Results Exporter. This database can reside on the same server as your Worksoft Certify databases.

Use the Apply utility tool that is provided in your Worksoft Process Intelligence distribution package.

► **To populate the Certify Results Exporter database:**


**1** From your Process Intelligence distribution package, unzip the **CREDatabaseScripts (version).zip** file.

**2** In the CREDatabaseScripts (version) folder, navigate to the following directory:

CREDatabaseScripts > CREDatabase

**3** Double-click **Apply.exe**.

The Create Worksoft Certify Results Exporter Database tool opens.



**4** In the Database Server field, enter the server name.

**5** In the Database Name field, enter the database name.

**6** If you want to use Windows authentication, select the **Windows Authentication** option.

**7** If you want to use SQL Server authentication, enter the SQL Server user name and password in the respective fields.

**8** Click the **Start** button.

The Apply utility begins to create a new database. After the database creation process is completed, a message appears.

You are now ready to configure your Certify Results Exporter database in Worksoft Portal.



## Upgrading Your Database

When you upgrade the Certify Results Exporter database, you will need to run the Apply tool in the **CREUpdateDatabase** folder. If there are patches to be applied, refer to the Readme file for information on how to upgrade your database.

---

## Registering Certify Results Exporter

---

You will notice that this product appears as registered when you sign into Worksoft Portal in the browser.

Example: `https://servername.worksoft.com/portal`

Product and services automatically register themselves in the Worksoft Portal when they are installed.

If for some reason the Certify Results Exporter does not automatically register, you can trigger the registration by manually loading Certify Results Exporter from the Certify Results Exporter API Swagger page:

`https://<servername>/CertifyResultsExporter/swagger.`

Opening the Swagger page automatically registers Certify Results Exporter.

---

## Configuring the Certify Results Exporter Database in Worksoft Portal

---

After preparing your database, you need to configure your Certify Results Exporter database in Worksoft Portal.

You must be a super user to add a database to the Portal.

### ► **To configure the Certify Results Exporter database:**

**1** From your browser, open and sign into Worksoft Portal.

Example: `https://servername.worksoft.com/portal`

**2** From the Worksoft Portal menu, select **Product Configuration > Certify Results Exporter**.

The Certify Results Exporter Configuration page opens.

**3** In the Database Configuration section, enter the following information for your database in the respective fields:

- SQL server
- Database name
- SQL user name
- SQL password

**4** If you want to use Windows Authentication instead of SQL Server Authentication, select **Use Trusted Connection (Windows)**.

**5** Click **Test** to test the connection.

**6** Click **Save**.

**7** If you have an on-premise installation, select the **Is On-premise Installation?** option in the Certify Results Exporter Configurations section.

**8** In the File Storage Path field, enter the file path where you intend to store your files if you are not using the cloud for storage.

The configuration is complete. To learn how to use the Exporter, see the [Worksoft Help Portal](#).